













	Beschreibung	Part Nummer	Key	Einzelpreis
	<p>Omnia.11 Audio Processor for FM</p> <p>Intelligent wideband AGC, refined dynamically flat & time aligned crossovers, dual-topology multiband AGC/Compressor-Limiters using Chameleon Processing Technology, Density Detector for handling hyper-compressed content, Ultra-LoLMD multiband limiter system with smart gain-reduction technology, Bass-Management system for unprecedented bass power with no nasty side-effects, Ultra LoLMD distortion controlled clipper system reduces IM distortion in this critical stage of the processing, Refined Integrated laboratory-grade stereo generator with dual composite MPX outputs, 19 kHz reference output, SCA input, >80 dB pilot protection and precision MPX LPF to protect RDS/RBDS and SCA signals, ITU-BS-412 MPX limiter, Refined parallel HD processing path with its own final mixer, look-ahead limiter and Sensus™ technology for HD-1, DAB or Internet stream. Analog, AES/EBU digital (with external sync input) and Livewire audio I/O, Front panel 10.5" full-color touchscreen GUI, Full remote control with built-in webpage interface via Ethernet port or on-board Wi-Fi,</p> <p>Headphone jack with soft "patch points" for listening through the processing chain, Diversity-Delay up to 20 seconds with ramp-in and ramp-out ability, fanless cooling design built into a rugged 4 RU chassis.</p>	P/N 2001-00279	HW	14.995,00 €
	<p>Omnia ONE-FM Now with 5-Band Limiter</p> <p>Single rack space full-featured FM audio processor. 24-Bit processing and converters, Wideband AGC followed by a Four-Band AGC and New Five-Band Limiter. Advanced, fully distortion-controlled final limiter/clipper. Integrated digital stereo generator with advanced peak control. Analog, AES/EBU, and Livewire digital inputs and outputs. Two composite MPX outputs, SCA input and 19kHz output. External Sync input to synchronize output sample rate to external reference. Full remote control via RJ-45 Ethernet port using built-in web interface. Built-in stereo headphone jack with level control. Dual software banks, updateable with a simple software download. 1 RU.</p>	P/N 2001-00220	HW	3.495,00 €
	<p>Omnia.9 FM + HD NEU</p> <p>Simultaneous separate processing cores for FM and HD-1 and (optional) HD-2 and HD-3. Each processing core is fully adjustable with electable 4, 5, 6 or 7- band processing. Stream encoding built in for Primary Digital (HD-1) and (optional) HD-2 and HD-3. Supports encoding to MP3 (Mpeg-1 Layer 3), MP2 (Mpeg-1 Layer 2), AAC, HE-AAC (including RTSP/3G for streaming to mobile phones), Ogg Vorbis, WMA and WMA Pro. ! Contains exclusive "Undo" technology, which removes distortion from source material. This corrects over-processed CDs, so common in today's contemporary music. Psychoacoustic Composite Embedder allows 140% audio peaks in stereo at 100% total modulation. On-screen keyboard. RDS encoder, dynamically updatable. Selectable SSB (Single Sideband) stereo encoder. HTTP push support for automation, such as dynamic RDS and streaming song titles, preset recall Dayparting (scheduled preset selection). Studio Output with very low latency for talent monitoring. Full remote control. Dual independent power supplies. 3RU</p>	P/N 2001-00292	HW	9.995,00 €
	<p>Omnia.9 FM + HD3 NEU</p> <p>Simultaneous separate processing cores for FM and HD-1 and (optional) HD-2 and HD-3. Each processing core is fully adjustable with electable 4, 5, 6 or 7- band processing. Stream encoding built in for Primary Digital (HD-1) and (optional) HD-2 and HD-3. Supports encoding to MP3 (Mpeg-1 Layer 3), MP2 (Mpeg-1 Layer 2), AAC, HE-AAC (including RTSP/3G for streaming to mobile phones), Ogg Vorbis, WMA and WMA Pro. ! Contains exclusive "Undo" technology, which removes distortion from source material. This corrects over-processed CDs, so common in today's contemporary music. Psychoacoustic Composite Embedder allows 140% audio peaks in stereo at 100% total modulation. On-screen keyboard. RDS encoder, dynamically updatable. Selectable SSB (Single Sideband) stereo encoder. HTTP push support for automation, such as dynamic RDS and streaming song titles, preset recall Dayparting (scheduled preset selection). Studio Output with very low latency for talent monitoring. Full remote control. Dual independent power supplies. 3RU</p>	P/N 2001-00293	HW	11.995,00 €
	<p>UPGRADE Omnia.9 HD Upgrade Kit NEU</p> <p>Upgrade kit converts a standard Omnia.9 to a Premium Processor by adding on-air processing and encoding/streaming capability for HD-2 and HD-3 services.</p>	P/N 2011-00071	HW	2.495,00 €

Beschreibung	Part Number	Key	Einzelpreis
 <p>Omnia ONE AM</p> <p>Single rack space full-featured mono or stereo AM broadcast audio processor. 24-Bit processing and converters, Wideband AGC followed by a Four-Band AGC and a Four-Band Limiter. Advanced, fully distortion-controlled final Limiter/Clipper. Selectable kHz bandwidth. Adjustable NRSC-compliant pre-emphasis / HF EQ. Adjustable positive peak control. Analog, AES/EBU and Livewire inputs and outputs. External AES/EBU Sync input to synchronize output sample rate to external reference. Full remote control via RJ-45 Ethernet port using built-in web interface. Built-in stereo headphone jack with level control. Dual software banks, updatable with a simple software download. 1RU.</p>	P/N 2001-00219	HW	3.495,00 €
 <p>Omnia A/XE Processing Software for PC Single License</p> <p>Omnia A/XE combines audio processing with MP3 or AAC encoding in one convenient application. Runs silently as a background service, can be fully managed and configured remotely with a web browser and can process and encode multiple streams in various formats simultaneously. Features a wideband AGC, 3-band compressor/limiter, EQ, low-pass filter and a precision look-ahead final limiter. Encode the processed audio directly to MP3 or AAC streams or feed a remote replication server at the ISP. Virtual Patch Cable allows Omnia A/XE to receive audio, process it, and send it to other software on the same PC. Streams can be "tagged" with "now-playing" information received from automation systems etc. Built-in scheduler for stopping & starting streams or changing processing presets at specific times. Requires Windows XP and later, Minimum 512MB RAM, 20MB free hard-drive space and Network Interface Card. * Pricing is for an individual customer or site only</p>	P/N 3001-00046	SW	395,00 €
<p>Omnia A/XE Processing Software for PC Unit Price, Package of 10 to 24 Licenses*</p>	P/N 3001-00046	SW	360,00 €
<p>Omnia A/XE Processing Software for PC Unit Price, Package of 25 to 49 Licenses*</p>	P/N 3001-00046	SW	300,00 €
<p>Omnia A/XE Processing Software for PC Unit Price, Package of 50 to 99 Licenses*</p>	P/N 3001-00046	SW	245,00 €
<p>Omnia A/XE Processing Software for PC Unit Price, Package of 100+ Licenses*</p>	P/N 3001-00046	SW	215,00 €
 <p>Omnia F/XE Processing Software for PC Single License</p> <p>Omnia F/XE is designed to process audio files for podcasting, Internet streaming and other applications. It consists of two main components: (1) FileProcessor, and (2) FolderBot. It offers the following features: FileProcessor accepts one or more audio files and batch processes them. FolderBot watches one or more folders and automatically processes the files as they are added to the folder. Both are able to read PCM WAV files, MPEG Layer-2 and MPEG Layer-3 source files. They apply Omnia processing to improve audio levels, loudness and perceived quality. Can encode the output audio using MP3 or AAC (including HE AAC and HE AAC v2), or save linear PCM WAV audio files. Can read metadata from external files and embed the information as ID3 tags in the output files. Automatically sends the output file to an FTP server. Notifies the user by email if problems are detected during processing. * Pricing is for an individual customer or site only</p>	P/N 3001-00050	SW	449,00 €
<p>Omnia F/XE Processing Software for PC Unit Price, Package of 10 to 24 Licenses*</p>	P/N 3001-00050	SW	399,00 €
<p>Omnia F/XE Processing Software for PC Unit Price, Package of 25 to 49 Licenses*</p>	P/N 3001-00050	SW	349,00 €
<p>Omnia F/XE Processing Software for PC Unit Price, Package of 50 to 99 Licenses*</p>	P/N 3001-00050	SW	279,00 €
<p>Omnia F/XE Processing Software for PC Unit Price, Package of 100+ Licenses*</p>	P/N 3001-00050	SW	249,00 €

Omnia ONE AM

Omnia A/XE

Omnia F/XE

	Beschreibung	Part Number	Key	Einzelpreis
	Omnia.8X Multiple audio processors for full-bandwidth studio applications that require minimal delay throughput and maximum audio quality. Omnia.8X is eight separate 3-band stereo Omnia processors in a single networked appliance. Modeled after the Omnia A/X, it's perfect for on-demand processing of multiple HD Radio channels, sat-casting, Internet audio, studio production, podcasting, headphone feeds, etc. Connects to your Axia Network using a single CAT-6 cable for all I/O. Or pair with an Axia AES or Analog Audio Node for use as a standalone multiple-stream processor. (Not designed for final AM or FM transmitter processing.) Rackmount, 2 RU.	P/N 2001-00206	HW	5.495,00 €
	Omnia ONE Multicast Processing for coded audio streams (including HD radio Streams, netcasting, podcasting, sat-casting, etc.). 24-Bit processing and converters, Wideband AGC followed by a Four-Band AGC, Four-Band Limiter and Ultra low-distortion look-ahead final limiting optimized for the HD codec. Sensus codec conditioning technology. Analog, AES/EBU, and Livewire digital inputs and outputs, External Sync input to synchronize output sample rate to external reference. Full remote control via RJ-45 Ethernet port using built-in web interface. Built-in stereo headphone jack with level control. Dual software banks, updateable with a simple software download. 1 RU.	P/N 2001-00218	HW	3.495,00 €
	Omnia ONE Studio Pro Single rack space processor for full-bandwidth studio applications that require minimal delay throughput and maximum audio quality. Four Bands of AGC, Four Bands of limiting, New "Bypass" settings for the final look-ahead limiter and Bass EQ sections, Time-aligned, dynamically flat crossovers, Selectable phase rotator, Automatic input failover on loss of audio, Analog, AES/EBU and Livewire inputs and outputs. External AES/EBU Sync input to synchronize output sample rate to external reference. Full remote control via RJ-45 Ethernet port using built-in web interface. Built-in stereo headphone jack with level control. Dual software banks, updateable with a simple software download. 1RU.	P/N 2001-00233	HW	3.495,00 €
	Omnia.sg Standalone all-digital stereo generator for applications where audio processing is performed remotely from transmitter. Also, useful in FM HD Radio installations for generating a clean composite FM signal from the delayed AES output of the HD Radio signal generator. Includes composite clipper & lowpass filter. Digital & analog inputs, dual-composite outputs, SCA loophroughs. Software upgradeable via RS-232. Remote control capable. 1 RU.	P/N 2001-00047	HW	2.395,00 €
	Omnia.sg with Clock Sync Neu Same as above except with GPS-based clock synchronization application designed to synchronize two, on-channel transmitters.	P/N 2001-00302-000	HW	2.795,00 €
	Omnia.sg Factory Upgrade NEU Adds GPS clock synchronization application to existing Omnia.sg.	P/N 2011-00074-000	HW	595,00 €

Es gelten die Allgemeinen Geschäftsbedingungen (AGB) der Thum + Mahr GmbH. Alle genannten Preise verstehen sich in EURO und zzgl. der bei Rechnungsstellung gültigen gesetzlichen Mehrwertsteuer. Die Lieferung erfolgt ab Werk Monheim. Die Gegenstände der Lieferung (Vorbehaltsware) bleiben bis zur Erfüllung sämtlicher ihr gegen den Auftraggeber zustehenden Ansprüche Eigentum der Thum + Mahr GmbH.